

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usstor.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/800,006	03/06/2001	James C. Rush	STE01 P-1086	5256	
PRICE HENEVELD COOPER DEWITT & LITTON, LLP 695 KENMOOR, S.E.			EXAMINER		
			HORTON, YVONNE MICHELE		
P O BOX 2567 GRAND RAPIDS	MI 40501		ART UNIT PAPER NUMBER		
GRAND RAFIDS	, IVII 49301		3635		
SHORTENED STATUTORY PI	ERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE		
3 MONTI	4S	01/23/2007	PAF	PER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

	Application No.	Applicant(s)					
	09/800,006	RUSH ET AL.	ï				
Office Action Summary	Examiner	Art Unit					
	Yvonne M. Horton	3635					
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	orrespondence addres	is				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DOWN THE MAILING DOWN THE MAILING DOWN THE MAILING DOWN THE MAILING THE MAILING THE METERS TO THE MAILING THE MAILING THE MAILING THE MAILING THE METERS THE METERS THE MAILING THE MAILING THE METERS THE METERS THE METERS THE METERS THE MAILING THE METERS THE METER	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin will apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. hely filed the mailing date of this commu D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 31 O	october 2006.		•				
· ·							
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is							
closed in accordance with the practice under E	Ex parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.					
Disposition of Claims							
4) Claim(s) 30-34,76,78,79,82-87,89,94,100-107	,109-130 and 132-145 is/are pen	ding in the application					
4a) Of the above claim(s) is/are withdra	wn from consideration.						
5) Claim(s) 30-34,76,78,79,82-87,89,94,100-107	<u>,109-130 and 132-145</u> is/are allow	wed.					
6) ☐ Claim(s) is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/o	or election requirement.						
Application Papers							
9)⊠ The specification is objected to by the Examine							
10)⊠ The drawing(s) filed on <u>03/06/01</u> is/are: a)□ a	accepted or b) $oxtimes$ objected to by the	ne Examiner.					
Applicant may not request that any objection to the			1 121/4)				
Replacement drawing sheet(s) including the correct							
11) The oath or declaration is objected to by the E	xammer, Note the attached Office	e Action of format 10-	102.				
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documen 2. Certified copies of the priority documen 3. Copies of the certified copies of the priority documen application from the International Burea * See the attached detailed Office action for a list	ts have been received. ts have been received in Applicat prity documents have been receiv nu (PCT Rule 17.2(a)).	tion No ed in this National Sta	age				
Attachment(s)							
1) Notice of References Cited (PTO-892)	4) Interview Summar						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper No(s)/Mail I 5) Notice of Informal 6) Other:		•				

Application/Control Number: 09/800,006

Art Unit: 3635

DETAILED ACTION

Status of the Claims

In response to the applicant's amendments received 10/31/06, claims 1-29, 35-75,77,80,81,88,90-93,95-99,108 and 131 have been cancelled and an examination of pending claims 30-34,76,78,79,82-87,89,94,100-107,109-130 and 132-145 follows.

Drawings

The drawings are objected to because they fail to clearly identify the "triangular spaces defined between adjacent flanges". Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Application/Control Number: 09/800,006

Art Unit: 3635

Specification

The specification is objected to as failing to provide proper antecedent basis for the claimed subject matter. See 37 CFR 1.75(d)(1) and MPEP § 608.01(o). Correction of the following is required: there is no support in the specification for the triangular shaped spaces defined between adjacent flanges.

Allowable Subject Matter

The claims appear to be allowable; however, allowance is held in abeyance until receipt of drawing in conformance with 37 CFR 1.121(d) and amendments to the specification in conformance with 37 CFR 1.75(d)(1).

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yvonne M. Horton whose telephone number is (571) 272-6845. The examiner can normally be reached on 6:30 am - 3:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Naoko Slack can be reached on (571) 272-6848. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 4

Application/Control Number: 09/800,006

Art Unit: 3635

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

YvonneyM Herton Primary Examiner Art Unit 3635

01/19/07